# TOWN AND COUNTRY PLANNING (GENERAL PERMITED DEVELOPMENT) ORDER 1995 DIRECTION MADE UNDER ARTICLE 4(1) DIRECTION TO WHICH ARTICLE 5(4) APPLIES

### CHESTERFIELD BOROUGH COUNCIL - CHESTERFIELD TOWN CENTRE CONSERVATION AREA

#### **COLOUR SCHEME GUIDE**

The purpose of this Colour Scheme Guide is to inform designers, contractors and building owners of a range of British Standard paint colours that are likely to be considered suitable and to suggest a 'formula' for arriving at a colour scheme that will compliment and enhance the character and appearance of the Conservation Area.

# 1. RENDERED WALLS (INCLUDING IMITATION TIMBER FRAMED FACADES)

Existing rendered wall panels where the render has deteriorated, should be considered for stripping back to brick unless it was originally intended for the brick not to be seen. It is generally inappropriate to apply textured coatings.

08B15 Magnolia 10B15 Creamy White 10C31 Ivory

These are the suggested colours for existing rendered wall panels:

There are several mock Tudor effect of imitation timber framed facades. It will be appropriate for the panelling between dark timber elements to be painted a brighter white such as:

22B15 Pearl Grey

NOTE: The rendering of existing brick walls will not be encouraged.

# 2. SHOP FRONTS – SUGGESTED BASE COLOURS INCLUDING INTEGRAL SHOP DOORS



20C37 Larkspur Blue

#### 3. SHOP FRONT DETAILING

Numerous shop fronts have mouldings and details that have, historically, been picked-out with a different colour. Elements such as mouldings to doors and pilasters, console brackets and fascia details are examples where lighter

shades/hues have been used. Picking-out colours are chosen to harmonise and compliment the principal shop front colour rather than to make a stark contrast to it. A picking-out colour scheme is not being prescribed, as in the same form of suggested base colours, because of the scope to use complimentary hues, white and even metallic gold paint.

#### 4. Windows:

Windows, not forming a shop front and those above ground floor level, should not be painted to compete with either the ground floor colour scheme or the wall within which the particular window is set. The window should present a softer, complimentary colour taking its cue from the brick or render wall colour, not set as a contrast.

### 5. Rainwater goods:

These features should not be hidden by painting them to match a background colour. Restrained, dark colours such as these are best:

